



snom


Product Catalogue

The Brand

In the year 1997, Snom Technology was a Berlin startup and first in the world to deploy professional VoIP devices. This has given Snom the first-mover advantage, allowing the brand to grow in pedigree and scope to represent the world's premium VoIP business telephone category.

Snom operates across the world and has a sizeable customer base who helped Snom grow as a business while continually contributing to evolving the technology and product ranges.


Snom's brand sits in five product categories:



Telephones




Handsets



Conferencing



Headsets



Broadcasting

The D3xx Series – Quality, Functionality & Advanced Features

The Snom D3xx Series is perfectly designed with the European aesthetics in mind and has been a telephone of choice for effective everyday work across millions of proven installations, providing quality and functionality that are indispensable for everyday working life.

This line of telephones is feature rich and powered by the proven and well-established Snom software that fulfills all of the requirements of advanced business telephony, including wideband HD audio for crystal clear conversations, robust CTI integration, compatibility with Bluetooth, high-definition displays and support for security standards such as TLS and SRTP.

The series meets all business budgetary requirements in six models from entry level up to executive office desk phone.




D385



D385 Desk Telephone

- Tiltable high-resolution colour display
- Paperless Snom SmartScreen
- 48 self-labelling keys (12 physical)
- Gigabit switch | USB port
- 12 SIP identities | Sensor hook switch
- Bluetooth-compatible | Wideband audio



D375 Desk Telephone

- Tiltable high-resolution colour display
- 12 LED function keys
- Gigabit switch | USB port
- 12 SIP identities | Sensor hook switch
- Bluetooth-compatible | Wideband audio
- Dual Stack IPv4/IPv6



D345 Desk Telephone

- True paperless extension monitoring
- 48 self-labelling keys (12 physical)
- Gigabit switch | USB port
- 12 SIP identities | Sensor hook switch
- Dual Stack IPv4/IPv6 | Wideband audio



D335

- High-resolution colour display
- 32 self-labelling keys (8 physical)
- Built-in proximity sensor
- Gigabit Switch | USB port
- 12 SIP identities | Wideband audio



D315 Desk Telephone

- High-resolution display with backlight
- Gigabit switch | USB port
- 4 SIP identities
- Sensor hook switch
- Wideband audio
- Dual Stack IPv4/IPv6



D305 Desk Telephone

- High-resolution display with backlight
- Ethernet switch
- 4 SIP identities
- Sensor hook switch
- Wideband audio



D3 (Expansion Module)

- High-resolution display with backlight
- 18 multicolour keys with LED
- Power supplied by phone via USB port
- Daisy-chain up to 3 expansion modules

The D7xx Series – Quality, Advanced Features & Worldwide Recognition

The professional D7xx Series telephones are aesthetically appealing and offer a highly practical industrial design to meet mission critical business requirements where the telephone is a key tool in every day work.

These high performance devices provide the best in wideband HD audio, Bluetooth support, and high definition colour screens. The programmable keys ensure a perfect overview for monitoring extensions while the pre-installed security certificates ensure automatic protected provisioning.

The series meets all business budgetary requirements in seven different models.



D717



True Paperless

D785 Desk Telephone

- High-resolution colour display
- True paperless extension monitoring
- 24 self-labelling keys (6 physical)
- Gigabit switch | USB port
- 12 SIP identities | Sensor hook switch
- Bluetooth-compatible | Wideband audio



Smart Label

D765 Desk Telephone

- High-resolution colour display
- 16 multicolour LED keys
- Gigabit switch | USB port
- 12 SIP identities | Sensor hook switch
- Bluetooth-compatible
- Dual Stack IPv4/IPv6 | Wideband audio



Smart Label

D735 Desk Telephone

- High-resolution colour display
- 32 self-labelling keys (8 physical)
- Built-in proximity sensor
- 12 SIP identities | Sensor hook switch
- Dual Stack IPv4/IPv6 | Wideband audio



D725 Desk Telephone

- Graphical display with backlight
- 18 multicolour LED keys
- Gigabit switch | USB port
- 12 SIP identities | Sensor hook switch
- Wideband audio
- Dual Stack IPv4/IPv6



D717 Desk Telephone

- High definition colour display
- Built-in light sensor
- Gigabit Switch | USB port
- 3 self-labelling keys
- 6 SIP identities



D715 Desk Telephone

- Graphical display with backlight
- Gigabit switch | USB port
- 4 SIP identities | Sensor hook switch
- Wideband audio
- Dual Stack IPv4/IPv6



D712 Desk Telephone

- Graphical display with backlight
- Ethernet switch
- 4 SIP identities | Sensor hook switch
- Wideband audio
- Dual Stack IPv4/IPv6



D7 (Expansion module)

- High-resolution display with backlight
- 18 multicolour LED keys
- Power supplied by phone via USB port
- Daisy-chain up to 3 expansion modules

The Snom DECT revolution

Snom's DECT solutions mean you're always contactable when moving around the workplace. The Snom family of IP-DECT systems and handsets ensure you never have to sacrifice functionality and quality for workplace mobility, while offering access to all the typical functions of your desk telephones.

The Snom IP-DECT systems can be installed quickly and scaled instantly while providing superb HD digital voice communication with call security and encryption. You always play it safe with Snom's multi and single cell solutions.



M90



M90 Medical Handset

High resolution TFT colour display

Wideband speakerphone

Configurable to M300, M700 and M900

Robust, shockproof design (MIL-STD-810g 516.6)

DECT device according to protection class IP65

Bluetooth | Integrated alarm key

Belt clip | Headset jack

Antibacterial surface



M80 Professional Handset

High resolution TFT colour display

Wideband speakerphone

Configurable to M300, M700 and M900

Robust, shockproof design (MIL-STD-810g 516.6)

DECT device according to protection class IP65

Bluetooth | Integrated alarm key

Belt clip | Headset jack



M70 Office Handset

High resolution TFT colour display

Wideband speakerphone

Configurable to M300, M700 and M900

Robust, shockproof design (MIL-STD-810g 516.6)

Bluetooth | Integrated alarm key

Belt clip | Headset jack



M85 Industrial Handset

Ruggedized IP65 DECT handset

Alarm features to increase safety

Shockproof, splash-proof, dust-proof

Suitable for outdoor areas

Programmable alarm key

Configurable to M300, M700 and M900

Pull-cord, man-down alarm

Vibration alert | Bluetooth-compatible

Belt clip | Headset jack



M65 Professional Handset

High resolution TFT colour display

Wideband speakerphone

Configurable to M300, M700 and M900

Up to 250 h standby

Local & shared address book

Headset jack

SW upgrade over-the-air

Vibration alert, belt clip



M25 Office Handset

Speakerphone | DECT encryption

Configurable to M300, M700 and M900

Up to 75 h standby

Intuitive user interface | Headset jack

SW upgrade over-the-air



M900 Base Station

Scalable on up to 4000 base stations

Up to 16000 handsets per installation

PoE compatible

Supports Bluetooth Beacons

DECT and LAN synchronisation

Integrated DECT manager

No licensing costs

Supports TLS



M325 DECT Single Cell Bundle

M300 base station & M25 handset bundle

Up to 20 handsets

Up to 5 parallel calls

Repeater support | Snom provisioning

Security (TLS and SRTP)



M700 Multicell Base Station

Scalable up to 254 base stations

Up to 1000 handsets per installation

Wideband audio | Over-the-air synchronization

Repeater support | Snom provisioning

No hidden costs for licenses

No DECT manager required



M15 SC

1.7" graphical display

Up to 7 hours talk-time

Up to 7 days standby

Illuminated keypad

Integrated belt clip

Works with M200 SC and M400 SC



M200 SC

Single-cell base station for up to 6 handsets

Up to 4 parallel calls

Wideband audio codecs

Snom redirection service

PoE enabled

GAP compatible



M215 SC

Universal DECT-bundle

Up to 6 handsets

Integrated belt clip

GAP compatible

Conferencing – Optimized for your business environment

In today's everyday working life, having simple and quick-to-use conferencing solutions is absolutely essential. Snom's conference systems are easy to integrate into any work environment and able to meet any need.

With over 20 years of experience in VoIP technology, success is guaranteed.



C520-WiMi

Two wireless DECT microphones

Automatic and adaptive echo cancellation technology

Expandable by up to three C52-SP speakerphones for large conferences with up to 4 separate rooms

Supports two Bluetooth devices like mobile phones or headsets and one DECT headset



C52-SP

Wireless DECT connectivity to C520-WiMi and A230 for connection to desktop telephones

Cable or battery power supply

Up to 12 hours talk time and 70 hours stand-by



Snom A210 Wlan Stick

No more tangled cables. Say 'goodbye' to annoying network cables and connectors with the Snom A210 USB stick. Simply connect your Snom phone to the internet via Wlan.

The stick is connected to the phone via Plug & Play. Simply select the corresponding wireless network and enter the password. Done!

It couldn't be more flexible.



Snom A230 DECT USB Stick



The Snom A230 DECT USB Stick converts your Snom phone to a DECT base station. The stick is easily plugged into the USB port of the Snom phone. The rest configures itself via Plug & Play.

Any Snom phone can be equipped with the wireless Snom C52-SP external speaker unit and converted it into a cost-effective conferencing solution.

Headsets



A190

- Superior wideband sound
- Handover and roaming in multi cell setup
- Noise reduction and echo cancellation
- Compatible with M300, M700 and M900
- Lightweight design



A170 DECT Headset

- First class HD audio quality
- Noise cancelling microphone
- Three wearing styles
- Long range DECT technology (up to 50m)
- Dual connection to external devices (Snom telephone and PC)



DECT A150 Micro Headset

- Highest quality HD audio
- Long range DECT technology (up to 50m)
- Exceptional comfort thanks to an ultra-light design
- Built-in call notification and status lights
- Built-in battery for up to 6 hours of talk time and up to 35 hours stand-by



A100D

Binaural design with superior wideband sound

300° flexible boom with noise-cancelling microphone

Single wire design for users' convenience

Quick Release (QR) connector system

Ultra light-weight: 79g (without cord)



A100M

Monoraural design with superior wideband sound

300° flexible boom with noise-cancelling microphone

Single wire design for users' convenience

Quick Release (QR) connector system

Ultra light-weight: 56g (without cord)



A210 Wlan dongle

To connect Snom telephones to WLAN

WLAN Dual-Band at 2.4GHz and 5GHz

Status LED

USB port connector



A230 DECT Stick

Connects up to two DECT devices to the Snom telephone

Intuitive and easy-to-use

LED pairing key

Connection via USB port



QR Accessories

ACUSB adapter cable for USB devices

ACPJ adapter cable for 3.5mm phone jack

ACPJ25 adapter cable for 2.5mm phone jack

Public Address System

The PA1 allows you to broadcast announcements by initiating a call from any Snom telephone. It has a built-in highly efficient amplifier and augments your existing SIP PBX and is the ideal solution for broadcasting announcements or to pipe background music in assigned rooms, hallways, and office floors.



PA1

4-watt Class-D amplifier

4 controllable output pins

Broadcasts over SIP and Multicast

Robust housing

Wall and ceiling mountable



D120

Backlit graphical display

4 context sensitive function keys + 5 function keys

2 SIP identities

360 degree call/message indicator

Low power consumption (PoE)

D120

The Snom D120 represents the new standard of functionality and adaptability among entry-level IP telephones. With its backlit display it allows for an exceptional view of all call information and the integrated functions making it one of the best desk phones on the market. The D120 is the ideal telephone for hotels or hospitals or for any environment that requires high quality entry entry-level telephones. The Snom D120 is also well placed in terms of efficiency and cost.

Workplace Mobility



M900



M700



M300

Cell type	Multicell up to 4,000 base stations	Multicell up to 254 base stations	Single
Handsets	Up to 16000	1000	20
Parallel calls	Up to 8 per base	8 per base	5
Wideband codec	Codec G.722	Codec G.722	Codec G.722
PoE	●	●	○
GAP	○	○	○
Warranty	3 years	3 years	3 years

Snom Exchange

By the latest estimate there are over 300,000 telephones still in operation worldwide despite the fact that they are more than 14 years old. This is phenomenal, since who would use a PC from 2005 today?

However, even if a telephone works well on the surface many of the components are obsolete and there is no comparison in terms of current sound quality and display. That's why Snom started the Snom Exchange Program. The program means customers can replace their outdated devices with an equivalent device from the current portfolio through their dealer and at really good conditions.

This has the advantage of putting you into contact with your existing customers, while enabling you to revive business relationships. Use this opportunity to replace outdated equipment with telephones of the latest generation.

Which telephones can be exchanged?

300	720	820
320	760	821
360		870
370		

Snom.com/exchange


The Snom Partner Program

Be part of our success story!

With the Snom Partner Program, we offer our retailers and official partners a wide range of exceptional advantages, from free demo products for Registered Partners to enticing purchase bonuses for Gold and Silver Partners for each Snom telephone ordered.

As a further incentive, all of our Gold and Silver Partners are entitled to a prominent mention on the snom.com website.

For more information on the Snom Partner Program, don't hesitate to visit our website, <https://partner.snom.com>.



Headquarter | Germany

Wittestr. 30 G
13509 Berlin

Phone +49 30 398 33 0
Fax +49 30 398 33 111
Email hq@snom.com

France

1er Etage Gauche
6 Parc des fontenelles
78870 Bailly

Phone +33 1 80 87 64 87
Fax +33 1 80 87 62 88
Email office.fr@snom.com

Italy

Via Milano1
20020 Lainate
(Milano area)

Phone +39 02 006 112 12
Fax +39 02 936 618 64
Email office.it@snom.com

Spain

Snom Technology GmbH
c/o ETL Steuerberatung Spanien
S.A.
Riera Principal, 8
08328 Alella (Barcelona)

Phone +34 936 550 665
Email office.es@snom.com

UK

The Courtyard
High Street
Ascot
Berkshire
SL5 7HP

Phone +44 134 459 6840
Fax +44 161 348 7509
Email office.uk@snom.com